

---

## 1. IDENTIFICATION OF THE SUBSTANCE AND SUPPLIER

---

**Trade name** Tile Doctor Remove & Go  
**Description** A water rinsable preparation with a low odour for the removal of sealers and coatings.

**Supplier** Tile Doctor®  
Dryades House, Sylvan Close,  
Oxted, Surrey, RH8 0DX  
United Kingdom

In case of emergency ☎ 0800 852 4 852, [www.TileDoctor.co.uk](http://www.TileDoctor.co.uk)



---

## 2. HAZARDS IDENTIFICATION

---

**Main hazards:** Irritating to eyes and skin.

---

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

---

**Hazardous ingredients:**

- DIBASIC ESTER 30-50%  
CAS: 1119-40-0  
[Xi] R36/38
- 2-PYRROLIDONE, 1-ETHYL- 10-30%  
CAS: 2687-91-4  
[Xn] R22; [Xi] R36

---

## 4. FIRST AID MEASURES (SYMPTOMS)

---

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

---

## 4. FIRST AID MEASURES (ACTION)

---

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Do not induce vomiting. Wash out mouth with water. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

---

**5. FIREFIGHTING MEASURES**

---

- Extinguishing media:** Water
- Exposure hazards:** In combustion emits toxic fumes of carbon dioxide. In combustion emits toxic fumes of nitrogen oxides.
- Protection of fire-fighters:** Wear self-contained breathing apparatus.

---

**6. ACCIDENTAL RELEASE MEASURES**

---

- Personal precautions:** Refer to section 8 of SDS for personal protection details.
- Environmental precautions:** Do not discharge into drains or rivers.
- Methods for cleaning up:** Absorb into dry earth or sand.

---

**7. HANDLING AND STORAGE**

---

- Handling requirements:** Ensure there is sufficient ventilation of the area.
- Storage conditions:** Store in cool, well ventilated area.
- Suitable packaging:** Aluminium containers. Stainless steel. Teflon.

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

---

- Engineering measures:** Ensure there is sufficient ventilation of the area.
- Respiratory protection:** Respiratory protection not required.
- Hand protection:** Gloves (solvent-resistant). Viton gloves.
- Eye protection:** Safety glasses with side-shields. Ensure eye bath is to hand.
- Skin protection:** PVC apron. Plastic apron.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

---

<b>State:</b>	Liquid
<b>Colour:</b>	Colourless
<b>Odour</b>	Characteristic odour
<b>Evaoration Rate:</b>	Moderate
<b>Oxidising:</b>	Non-oxidising (by EC criteria)
<b>Solubility in water:</b>	Soluble
<b>Also soluble in:</b>	Most organic solvents
<b>Viscosity:</b>	Non-viscous
<b>Flash point°C</b>	100
<b>Relative density:</b>	1.05 – 1.07
<b>pH:</b>	6 - 8
<b>VOC g/l:</b>	980

---

**10. STABILITY AND REACTIVITY**

---

<b>Stability:</b>	Stable under normal conditions.
<b>Materials to avoid:</b>	Oxidising agents. Strong oxidising agents.
<b>Haz. decomp. products:</b>	In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

---

**11. Toxicological Information**

---

<b>Hazardous ingredients:</b>	DIBASIC ESTER IHL RAT LC50 11 mg/l ORL RAT LD50 8191 mg/kg SKN RAT LD50 2250 mg/kg • 2-PYRROLIDONE, 1-ETHYL - ORL RAT LD50 1350 mg/kg
-------------------------------	--

---

**12. Ecological Information**

---

<b>Mobility:</b>	Volatile. Soluble in water.
<b>Persistence &amp; degradability:</b>	Biodegradable.
<b>Bioaccumulative potential:</b>	No bioaccumulation potential.

---

**13. Disposal Considerations**

---

<b>Disposal of packaging:</b>	Dispose of as normal industrial waste. <b>NB:</b> The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.
-------------------------------	--

---

**14. Transport Information**

---

ADR / RID	UN no: Not Classified.
IMDG / IMO	UN no: Not Classified.
IATA / ICAO	UN no: Not Classified.

---

**15. Regulatory Information**

---

**Hazard symbols:**

Irritant.

**Risk phrases:**

R36/38: Irritating to eyes and skin.

**Safety phrases:**

S2: Keep out of the reach of children.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

**Haz/ ingredients (label):**

DIBASIC ESTER; 2-PYRROLIDONE, 1-ETHYL

**Seveso II guideline:**

No

**Water hazard class:**

1 Classification by VwVwS

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

---

**16. Other Information**

---

**Other information:**

This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

**Risk phrases used in s.3:**

R36/38: Irritating to eyes and skin.

R22: Harmful if swallowed.

R36: Irritating to eyes.

**Legal disclaimer:**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.